

Frost-proof valves for external use.



KEMPER 'Frosti' Frost without the frustration

The frost-proof outdoor valves from KEMPER guarantee absolute protection from frost and water damage the whole year round through automatic drainage after every use.

The valve body is located indoors and protected against frost, thereby making shut-off and drainage at the beginning of cold spells unnecessary. Available in 2 types and thus suitable for any installation situation.

Advantages at a glance

- absolutely frost-proof the whole year round through automatic drainage
- fast and easy installation
- continuously adjustable to outside wall thickness (from 200 to 740 mm)
- maintenance-free, stagnant-zone-free



KEMPER 'Frosti-plus'® – the assembly kit Figure 574

This assembly kit, designed for unfinished and finished installation work, makes it possible to install the valve as early as the unfinished installation phase. The top part is mounted in place once the outer wall is finished.






KEMPER 'Frosti' - preassembled at the factory Figure 576 02


The valve is preassembled at the factory for subsequent fast and easy mounting an already finished outer walls.





KEMPER 'Tresor' centralized water and power supply







KEMPER 'Tresor' Figure 210, (H / W / D: 470 x 250 x 120 mm)

Technically optimized and fine design

KEMPER 'Tresor', this compact supply station for external use enables simultaneous, easy water and power supply from a central location. Equally efficient, no matter which usage and which device - cleaning the car with the high-pressure spray, gardening work with the lawnmower, lawn sprinklers or electrical shears or providing power for the barbecue party.

Advantages at a glance

- > safe protection from an authorised water and power usage, even during use, thanks to integrated cover for hose and cable connections
- > safety putting lock convertible on existing closing plant
- including KEMPER frost-proof outdoor valve. Guaranteed frost-proof through automatic drainage
- including socket outlet combinations for 230 and 400 volts, IP 44, hard-wired, ready for immediate installation, available for A , CH, DK, F, GB
- safe separation of water and electrical connections in accordance with VDE guidelines for wet zones and rooms to VDE 0100 Part 737

Installation situation





The KEMPER 'Tresor' compact supply unit is extremely easy to integrate in masonry or concrete walls. A residual wall thickness of 180 mm is necessary to guarantee frost-proof operation. The wall cabinet is the secure solution for protection against unauthorised water power usage, even during use, thanks to the integrated cover for hose and cable connections.



Gebr. Kemper GmbH + Co. KG Metallwerke Postfach 15 20 D-57445 Olpe Tel. +49 (0) 27 61 8 91-0

Fax +49 (0) 27 61 8 91-1 75 info@kemper-olpe.de www.kemper-olpe.de